

Department of Education Republic of the Philippines

REGION XI SCHOOLS DIVISION OF DAVAO ORIENTAL

REQUEST FOR QUOTATION

Address:	Company Name:
Ouotation N	Date:
Ouotation No.: 2025-11-0011-2	November 17, 2025

Please quote your lowest price on the item/s listed below, subject to the General Conditions on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than November 21, 2025 in the return envelope attached herewith.

N. SANGO

irperson

- Note:
- All entries must be typewritten.
 Delivery period within _____ calendar days upon receipt of the Purchase Order.
 Warranty shall be for a period of six (6) months for suppliers and materials, one (1) year for Equipment, from date of acceptance by the procuring entity.
 Price validity shall be for a period of 45 calendar days.
 PhilGEPS Registration Certificate shall be attached upon submission of the Quotation.
 Bidders shall submit Original Brochures showing certificates of the product being offered.

Page 1 of 3		Stock/ Property
	fter havin	Unit
Calivassel/s	Brand and Model: Delivery Period: Warranty: Price Validity: After having carefully read and accepted your General Conditions, I/We quote you on the item at prices noted above.	Item Description
Printed N	you on the	Qty
Printed Name / Signature Bidder	item at prices r	Unit Price
ro'	noted above.	Total Cost (VAT Inclusive)

	2 pc	
- Body Material: ABS plastic, polycarbonate, or aluminum alloy	- Protects against rain and splashes Shock Resistance: Basic drop protection for field use Safety Whistle Sound Output - Decibel Level: 100–120 dB - Loud enough to be heard over long distances or in noisy environments - Chamber Type: Pea-less - Pea-less models are more reliable in wet or cold conditions Material 8. Build	Power & Charging Battery Type: Built-in rechargeable lithium-ion battery Typical capacity: 1000–2000mAh Charging Port: USB or Type-C Charging time: 2–4 hours Runtime: 4–7 hours depending on mode Besign & Comfort Strap: Adjustable elastic headband Fits securely on helmets or directly on the head Weight: 60–100 grams Lightweight for extended wear Material: ABS or aluminum alloy housing Durable and impact-resistant Durable and impact-resistant Durable Resistance: IPX4 or IP44 rating Protects against rain and splashes Shock Resistance: Basic drop protection for field use Safety Whistle Sound Output Decibel Level: 100–120 dB Loud enough to be heard over long distances or in noisy environments Chamber Type: Pea-less Pea-less models are more reliable in wet or cold conditions Material & Build
	V 1	σ
-		

Social V Unit Rem Description City Unit Price Total Cost (With Preparety Banket 3 Fc Matterial & Build - Type: Thick Mylar (Investigated PET) or multi-fayer behaved reformed composition and use without text ring - Thick Special (Petrophical Petrophical Pet	tem at prices not	you on the ite	Brand and Model: Delivery Period: Warranty: Price Validity: Carefully read and accepted your General Conditions, I/We quote your	Procureme te: Novem 35,000.00	Purpose: Activity Dat ABC:
unit limit litem Description City pc Emergency Blanket Anaterial & Build Type: Thick Mylair (metalized PET) or multi-layer polyester-aluminum composite Designed for repeated folding and use without tearing Thickness: 20-25 microns More durable than single-use variants Size: Approx. 140 cm x 210 cm (55 in x 83 in) Covers an adult or serves as ground insulation Thermal Performance Heat Retention: Reflects 90-95% of body heat Percents hypothermia and conserves warmth in cold conditions Sizes: Jas UK (Female) Jas UK (Male) Procurement of Office Supplies for the Titling Office 35,000.00				Procureme te: Novem	l l a t
unit Item Description Qty Emergency Blanket A. Build Type: Thick Mylar (metalized PET) or multi-layer polyester-aluminum composite Designed for repeated folding and use without tearing Thickness: 20–25 microns More durable than single-use variants Size: Approx. 140 cm × 210 cm (55 in × 83 in) Covers an adult or serves as ground insulation Thermal Performance Heat Retention: Reflects 90–95% of body heat Prevents hypothermia and conserves warmth in cold conditions Sizes: 1 – 3.5 UK (Female) 1 – 8 UK (Female) 1 – 8 UK (Female) 1 – 6.5 UK (Male) 1 – 10 UK (Male) Procurement of Office Supplies for the Titling Office			ber 2025	Procureme	
unit item Description Qty Emergency Blanket Adaptarial & Build Type: Thick Mylar (metalized PET) or multi-layer polyester-aluminum composite - Designed for repeated folding and use without tearing - Thickness; 20–25 microns - More durable than single-use variants - Size: Approx. 140 cm × 210 cm (55 in × 83 in) - Covers an adult or serves as ground insulation - Covers an adult or serves as ground insulation - Heat Retention: Reflects 90–95% of body heat - Prevents hypothermia and conserves warmth in cold conditions - Suitable for temperate climates and outdoor exposure Rubber Boots Sizes: 1 – 3.5 UK (Female) 1 – 5 UK (Female) 1 – 6.5 UK (Male) 1 – 10 UK (Male)	1,1		ent of Office Supplies for the Titling Office		4
Unit Item Description Qty pc Emergency Blanket 5		U	Material & Build Type: Thick Mylar (metalized PET) or multi-layer polyester-aluminum composite Designed for repeated folding and use without tearing Thickness: 20–25 microns More durable than single-use variants Size: Approx. 140 cm × 210 cm (55 in × 83 in) Covers an adult or serves as ground insulation Thermal Performance Heat Retention: Reflects 90–95% of body heat Prevents hypothermia and conserves warmth in cold conditions Suitable for temperate climates and outdoor exposure Rubber Boots Sizes: 1 – 3.5 UK (Female) 1 – 8 UK (Female) 1 – 8 UK (Male) 1 – 10 UK (Male)		
Unit Item Description Qty		5	mergency Blanket	_	ω
	Unit Price	Q y	Item Description	Unit	Stock/ Property